



Dear ROOTTERS,

In this latest edition, we are excited to introduce our new N-line, designed to provide greater flexibility and efficiency in complex restorative cases.

New launches are already in the pipeline and will be presented at our upcoming events and activities.

This year, we are celebrating 15 years of innovation at ROOTT, marking an important milestone in our journey.

We trust you enjoy this latest edition. As always, we remain committed to customer-centricity, continuously listening to our customers and evolving our solutions to meet their needs.



Warmest regards,

Siarhei Shulezhka
President



**Established
Presence**



**One Complete
System for Every
Indication**



**98% Proven
Clinical Success**



**Trusted in
80+ Countries
Worldwide**



**Reliable Quality.
Uninterrupted
Supply.**

NEW PRODUCTS

Introducing the New ROOTT N-Line

Pages 20-31


The new ROOTT N-Line delivers greater freedom and confidence in full-arch restorative workflows.

Featuring a versatile multi-unit solution on a 4.8 mm platform with M1.4 mm screw compatibility, it is designed for photogeometry-driven workflows combining precision, speed, and flexibility.



ROOTT® Innovation

ROOTT® continues to push the boundaries of implant healing with digital-first solutions designed for predictable, biologically driven outcomes.



- **The Digital Sanctuary**

ROOTT® ZBL Anatomic Healing Solution

ROOTT's ZBL digital workflow replaces generic, reused healing abutments with prefabricated anatomic single-use ZBL healing abutments, enabling predictable socket sealing, and optimized natural emergence profile.

- **Single-use Integrity**

Eliminates contamination risks inherent to reused components.

- **Anatomic Sealing**

Mechanical socket sealing without flap elevation.

- **Digital Precision**

Full compatibility with Exocad / 3Shape via ZBL libraries.

- **ZBL AHS**

Options available 6mm & 4mm for ROOTT B/ROOTT C.

Single-use. Anatomical. Digital. Predictable.







Discover the ROOTT R Viper Edition – a Pinnacle of Dental Implant Technology

This state-of-the-art implant system sets a new standard with its unparalleled stability and leak-resistant conical connection. It's designed for versatility, featuring adaptive platform switching and a passive fit connection that excels in scenarios demanding additional load capacity.


Choose ROOTT R for a future-proof, reliable implant solution



Delivers primary stability
for a predictable outcome




Precision-engineered conical
connection for seamless fit
and enhanced durability



Innovative platform switching
for optimal tissue preservation
and aesthetic results





ROOTT R 5° Taper Connection: Engineered for Excellence

- **Enhanced Stability & Longevity**

Precise 5° conical connection ensures optimal load distribution, secure abutment fit, and minimized micro-movements for long-term implant and bone health.

- **Simplified & Predictable Workflow**

Streamlined design facilitates accurate seating, reduces complexity, and minimizes screw loosening, leading to faster, more predictable restorations.

- **Increased Clinical Confidence & Efficiency**


Reliable biomechanical integrity, reduced inventory, and user-friendly design empower clinicians with greater confidence and simplify training.



One Size Fits All

Unified One prosthetic connection for ROOTT R reduces the number of components to a minimum, optimizing the handling requirements in the daily practice.





The Unmatched Convenience of ROOTT R Implants' All-In-One Packaging

Streamlined Surgery to Prosthetics with Digital Workflow.
This innovative kit includes all vital components from the cover
screw to the abutment, eliminating the need for additional
purchases.

Each Viper Edition implant comes with

- Cover Screw
- ZeroBoneLoss® abutment
- Fixing Screw for abutment

ZBL is available in the digital libraries for fully digital workflow

	6 mm	8 mm	10 mm	12 mm	14 mm	16 mm	18 mm	20 mm
Ø 3.0			 R3010	 R3012	 R3014	 R3016		
Ø 3.5	 R3506	 R3508	 R3510	 R3512	 R3514	 R3516	 R3518	 R3520
Ø 3.8	 R3806	 R3808	 R3810	 R3812	 R3814	 R3816	 R3818	 R3820
Ø 4.2	 R4206	 R4208	 R4210	 R4212	 R4214	 R4216		
Ø 4.8	 R4806	 R4808	 R4810	 R4812	 R4814	 R4816		
Ø 5.5	 R5506	 R5508	 R5510	 R5512	 R5514			
Ø 6.5	 R6506	 R6508	 R6510	 R6512				
Ø 7.5	 R7506	 R7508	 R7510	 R7512				



Get more with every implant!

Enjoy a complimentary ZBL abutment & Cover Screw
with each implant




Healing Abutment: Nurturing Bone Growth and Aesthetics

Healing abutment support bone growth while preventing tissue collapse around dental implants. It maintains crestal bone integrity, supporting long-term stability.


- Prevents Tissue Collapse
- Enhances Esthetics

Discover the difference in implant dentistry!



H – Gingiva height, mm





L – Height from implant level, mm
H – Gingiva height, mm

Healing Abutment Optimal Implant Care

Healing abutment offer unique features that contribute to optimal implant outcomes:

- Ergonomic profile: shapes gum contours naturally
- Two-component design: minimizes force transmission
- Easy removal: threaded interior and removal tool
- Seal conical connection: prevents leakage during healing

ROOTT R healing abutments elevate implant care with precision and innovation



REF	GF1	GF2	GF3	GF4
L	3.5	4.5	5.5	6.5
H	1	2	3	4



Healing abutment

Comprehensive Tissue Tool

A slim healing abutment serves as a crucial intermediate step prior to the application of an anatomical healing abutment, which facilitates the creation of space necessary for soft tissue augmentation.

- **Space for Tissue Augmentation**


The slim design ensures there is enough space for soft tissue grafts, which is crucial for long-term esthetic and functional success.

- **Enhanced Aesthetics**

Healing abutment allows for the placement of a thick connective tissue graft in the most coronal position, improving the papillae and the overall esthetic outcome.

- **Long-Term Stability**

The approach aims to prevent hard and soft tissue resorption, ensuring stable clinical results for many years, which is especially important in the esthetic zone.



L – Height from implant level, mm
H – Gingiva height, mm

Healing Abutment: Elevating Implant Care

Healing abutment is a single-component solution designed for cases where additional load is expected, and passive abutments are preferred.

- **Passive Fit**

The abutment fits externally with a cone-shaped interface, ensuring a passive fit.


- **Bone Preservation**

By preventing bone growth on the implant shoulder, abutment maintains crestal bone integrity.

- **Ergonomic Profile**

The abutment's natural shape supports gum contouring for optimal esthetics.

Experience precision and innovation in implant care with ROOTT R healing abutments.



REF	GFP3	GFP4
L	5.5	6.5
H	3	4

L – Height from implant level, mm
H – Gingiva height, mm



TransferScan – convenience in impression, precision in scanning

The TransferScan offers a unique combination of conventional transfer design with a specially treated surface. Whether used for intraoral scanning or laboratory scanning, it ensures precise data capture.

- **Accurate Scanning**

The TransferScan design allows for precise digital impressions, minimizing distortion and ensuring accurate implant positioning


- **Efficient Workflow**

Whether in the dental office or lab, the TransferScan streamlines the scanning process, saving time and enhancing productivity


- **Compatibility**

It seamlessly integrates with digital workflows, making it suitable for both chairside and laboratory procedures

Discover the TransferScan advantage for reliable implant restorations!



L – Height from implant level, mm



REF TC



REF TR
L 11

Implant level

L – Height from implant level, mm

Closed-Tray Impression Post

Specifically designed for closed-tray impressions on ROOTT R Implants. Unlike open-tray techniques, closed-tray impressions do not require additional preparation of the impression tray (such as windows or perforations).

- **Snap-and-Go**

The Impression Cap, equipped with a click plastic part, easily snaps into place on the impression post. This secure fit simplifies the impression-taking process and can be used in most cases.

- **Single-Use Assurance**

To ensure optimal fit and precise impressions for each patient, these non-sterile impression posts are intended for single use only. A spare cap is provided in case of immediate retakes.

- Each closed-tray comes with a single-use transfer cap.

REF



TOS
Transfer
for open tray,
short



TO
Transfer
for open tray



TR
Transfer
for close tray
with TC cap



Abutment
level

Dragon Scan R: Capture Precision, Conquer Time

Experience a digital impression system designed to handle the most complex clinical challenges with ease.

- **Superior Stability for Edentulous Cases**

The enhanced SPCOIO Scan post, utilized in tandem with Titanium pins, is the key to maintaining a consistent scan path and absolute positional accuracy in multi-implant cases.

- **Versatile Configuration**

Titanium pins are available in 7.5mm and 15mm heights, allowing you to adapt to any clinical anatomy.

- **Premium Durability**

Crafted from high-grade titanium to ensure maximum strength and long-term reliability.

- **Streamlined Clinical Outcomes**

Secure fixation significantly improves impression accuracy, resulting in better-fitting prosthetics while reducing errors, rescans, and valuable chair time.

**Upgrade to Dragon Scan R to unlock a new standard of precision.
Elevate patient satisfaction through a faster, smarter digital workflow.**



REF

SPCOIO

Implant Analogue Bridging Precision and Versatility


Implant analogue, designed as an evolution of the ROOTT R implant system, seamlessly combines two critical components into one. Whether you're working with printed models or following traditional workflows with gypsum casts, the analogue offers unparalleled benefits.

- Use in digital or traditional workflows
- Tapered shape prevents micromovements
- Bottom screw ensures accuracy
- Reverse Scan Analog facilitates accurate analog model creation from digital scans

Analogue embodies adaptability, precision, and ease of use — a game-changer for implantology



L – Height from implant level, mm



L 8
H 2

Supplied with screw S8 for clinical use.
Maximum torque – 15 Ncm.



L – Height from implant level, mm
H – Gingiva height, mm

ZeroBoneLoss® abutment ensures the bone level remains unchanged over time and significantly reducing the risk of peri-implantitis

● Optimized Soft Tissue Integration

These abutments support a minimum of 2 mm vertical soft tissue thickness, which as described in literature is necessary to avoid bone loss and promote healthy biological width around the implant.

● Microgap and Platform Switching Technology

ZeroBoneLoss® abutments utilize precise implant-abutment 5 degree conical connections and platform switching to help improve aesthetic outcome, minimize micromovement, and prevent crestal bone loss.

● Evidence-Based Protocols

ZeroBoneLoss® abutments are backed Zero bone loss concept that address both surgical and prosthetic factors, offering predictable and reproducible outcomes for clinicians.

Viper Edition offers complimentary ZBL abutments redefining implant abutments, aesthetics, and digital workflow integration




Anatomical Ti-Base abutment

The Viper Edition abutment seamlessly marries anatomical design with cutting-edge titanium-base technology, redefining implant dentistry.


- Anatomically shaped for optimal soft tissue contours and natural aesthetics.
- Prioritizes gingival harmony, even for short gingival heights
- New conical screw design and thicker walls make it stronger
- Versatile workflow with double antirotational cuts and CAD-CAM-friendly shape

Viper Edition of anatomical abutments is a game-changer — delivering strength, aesthetics, and adaptability in one remarkable package






REF	A1	A2	A3	A4
L	7	8	9	10
H	1	2	3	4
Angle, °	0	0	0	0



REF	A1A15	A2A15	A3A15	A4A15
L	8	9	10	11
H	1	2	3	4
Angle, °	15	15	15	15



REF	A1A25	A2A25	A3A25	A4A25
L	8.5	9	10	11
H	1	2	3	4
Angle, °	25	25	25	25

● Enhanced Prosthetic Workflow

Streamlines restorative processes for single to complex cases. Adapts to digital workflow of 3D printing, CAD/CAM as well as traditional workflows.

● Unlock Restorative Possibilities

Compatible with diverse materials and indications. Flexibility for bridges and bars with various implant restorative options.

● Titanium Reliability

Anodized surface, high-quality, high Strength Grade 23, biocompatible base for lasting restorations.

● Patient-Focused Solutions

Focused on meeting each person's needs.

Achieve Aesthetic & Functional Excellence:
Features for optimized aesthetics and emergence

L – Height from implant level, mm
H – Gingiva height, mm




ROOTT N Multi-Unit Abutments

ROOTT N Multi-Unit Abutments are designed to bring greater freedom, precision, and confidence to full-arch restorative workflows. Available on a regular platform 4.8 mm with 1.4 mm screw compatibility, they support seamless integration with different photogrammetry options for high-precision digital full-arch scanning solutions.


With straight and angulated options of 15°, 30°, 45°, and 60°, plus 1 mm, 2 mm, 3 mm, and 4 mm gingival heights, they offer the flexibility needed to manage angulated implant cases with ease. This advanced design helps streamline the prosthetic workflow, improve scan accuracy, reduce chair time, and contribute to higher patient satisfaction.

- Regular platform 4.8 mm
- 1.4 mm screw compatibility
- Compatible with different photogrammetry options
- High-precision full-arch scanning solutions
- Faster workflow and improved patient satisfaction
- Available in Straight, 15°, 30°, 45°, and 60°


A versatile multi-unit solution on a regular 4.8 mm platform with M1.4mm screw compatibility, designed for photogrammetry-driven full-arch workflows that deliver precision, speed, and patient-friendly outcomes.




REF	N1	N2	N3	N4
L	3.2	4.2	5.2	6.2
H	1	2	3	4
Angle, °	0	0	0	0




REF	N1A15	N2A15	N3A15	N4A15
L	3.9	4.9	5.9	6.9
H	1	2	3	4
Angle, °	15	15	15	15



REF	N1A30	N2A30	N3A30	N4A30
L	4.5	5.5	6.5	7.5
H	1	2	3	4
Angle, °	30	30	30	30



REF	N1A45	N2A45	N3A45	N4A45
L	4.9	5.9	6.9	7.9
H	1	2	3	4
Angle, °	45	45	45	45



REF	N1A60	N2A60	N3A60	N4A60
L	5.2	6.2	7.2	8.2
H	1	2	3	4
Angle, °	60	60	60	60

L – Height from implant level, mm
H – Gingiva height, mm

Dragon Scan Solutions: Capture Precision, Save Time

The NSPCOMIO Scanbody, used with titanium pins, provides a stable implant reference throughout the scanning process. It is especially beneficial in edentulous cases, ensuring accurate implant positioning for precise digital impressions.

- **Versatile**

Titanium pins available in 7.5 mm and 15 mm heights.

- **Reliable**

High-quality titanium for strength and durability.

- **Accurate**

Stable fixation improves digital impression accuracy.

- **Efficient**

Reduces scanning errors, rescans, and chair time.

**Enhance your digital workflow with greater precision,
efficiency and predictable restorative outcomes.**



REF

L

NSPCOMIO

10

7.5

L – Screw length, mm

15

Gingiva Formers NGFM

Regular

Healing abutments for the ROOTT N platform. Screw onto the multi-unit abutment to guide soft tissue healing and shape the gingival contour for optimal prosthetic emergence profile.

Narrow

Locator healing abutments for the ROOTT N platform. Narrow-profile design for cases with limited soft tissue thickness or narrow ridge anatomy, providing a reduced-diameter gingival contour.

- **Full ROOTT System Compatibility**

Compatible with Roott N multi-unit platform.

- **Enhanced Esthetics**

Supports natural soft tissue contouring.

- **Soft Tissue Protection (OA-OT Concept)**

Reduces trauma during prosthetic procedures.

- **Simplified Handling**

Improves placement and removal of restorations.

- **Multiple Options**

Available in different collar heights for clinical flexibility.





Implant Analogs NANM

Laboratory analogs for accurate working model fabrication. Available as conventional NANM analogs for stone models and digital analogs for CAD/CAM-compatible digital workflows using the Reverse Scanning Protocol.

- **Reverse Scan Analog**

Optimizes the transition from implant placement to the final restoration, supporting a seamless digital workflow. Provides exceptional accuracy for both provisional and definitive prostheses, helping ensure predictable long-term clinical performance while reducing chair time and the number of patient appointments.

- **Analog & Digital Compatibility**

Designed for use with both conventional impression methods and modern digital scanning workflows. Offers flexibility for different clinical protocols while improving efficiency and maintaining consistent restorative results.

- **High-Precision Manufacturing**

Engineered with tight manufacturing tolerances to ensure precise implant position transfer and reliable prosthetic accuracy throughout the restorative process.



TransferScan®: Convenience in Impression, Precision in Scanning

The 2-in-1 Solution for Open Transfer Accuracy and Efficient Scanning applications on multi-unit.

- **Efficient Workflow**

Streamlines with Digital workflow application with intraoral / laboratory scanning or conventional Impressions techniques.

- **Versatile Compatibility**


Seamlessly integrates with digital workflows across ROOTT N platform.

- **Durable Material** High-quality titanium ensures strength and longevity with special surface treatment for precise data capture.

- **Accurate Scanning** Design feature minimizes distortion for precise scanning of implant positions.

**Discover the NTOM/NTOML TransferScan® advantage
for reliable implant restorations on multi-units**

REF



ROOTT R Titanium Bases for N-MUA platform

Designed for precise and versatile multi-unit restorations, ROOTT R titanium bases provide a stable interface for a wide range of prosthetic solutions. Ideal for customized cases, they ensure accurate connection for zirconia, PMMA and PEEK restorations.

- **Enhanced Passivity**

Supports passive-fit prostheses for long-term reliability.

- **Simplified Adjustments**

Angled screw channel allows easy access and adjustment.

- **Optimized Bonding**

Blasted surface and microgrooves ensure strong adhesion.

- **Secure Retention**

Improved screw design prevents loosening and enhances stability.

ROOTT R N-MUA titanium bases enable efficient, predictable and long-lasting multi-unit restorations



REF
Height

SNFPCOMR
3.7 mm



Abutment level

REF
Height

NPCOMR
5.8 mm



Temporary Multi-Unit Ti-Base for ROOTT R N-MUA Platform

- **Flexible Workflow Integration**

Compatible with both conventional and digital workflows.

Conventional: Supports traditional denture fabrication techniques.

Digital: Fully compatible with CAD/CAM systems and 3D printing technologies.

- **Multiple Height Options**

Available in four different heights, enabling optimal selection based on clinical requirements.

- **CAD/CAM-Ready Design**

Engineered to facilitate efficient digital design and milling of ceramic restorations.

- **High Precision Fit**

Ensures accurate and stable seating for crowns and bridge restorations.

- **Streamlined Handling**

User-friendly design simplifies both temporary and final prosthetic workflows.

REF

NAM



Straight Angled burn-out abutments for N-MUA Platform

- **Prosthetic Flexibility**

Custom abutments/frameworks for multi and full-arch cases.
User-friendly design with reliable burnout.

- **Workflow Integration**

Compatible with lost-wax casting for non precious metals.

- **Precision & Efficiency**

Streamlined workflow and cost-effective alternative to custom-milled bases. Accurate fit and consistent casting quality.

REF

NABMU



REF
Height

NPCOMR
5.8 mm

SNFPCOM

NAM
Straight abutment

NABMU
Burnout abutment

Direct restoration screws

- **No Abutment or Ti-Base**

Restorations connect directly to the N-MUA platform 4.8mm interface.

- **Robust Bolt Screw**

Utilizes a heavy-duty 2.2 mm prosthetic screw designed to handle mechanical loads better than standard smaller screws.

- **Angulated Screw Channels**

Permits screw access correction up to 20 or 30 degrees for restorative alignment flexibility.

- **Zero Cement Risk**

Completely screw-retained mechanism eliminates subgingival excess cement and related biological complications.



REF
L

SNZC
4.1

SNZF
4.95



Titanium Bases (Digital Abutments) – The Foundation for Precision Restorations

Engineered for a secure and versatile connection between the implant fixture and the final prosthesis. Our titanium bases, also known as digital abutments, are meticulously crafted to optimize prosthetic workflows and deliver exceptional results.


- **Enhanced Prosthetic Grip**

The precisely blasted surface provides superior retention for both cemented and screw-retained restorations, ensuring a stable and long-lasting connection of crowns and bridges.


- **Angled Screw Access for Optimal Aesthetics**

Featuring an innovative lateral screw channel with up to 20° angulation, these bases allow for convenient screw access without compromising the aesthetic outcome, particularly crucial in anterior cases. This enables clinicians to achieve ideal emergence profiles and natural-looking restorations.






REF	PCOR	PCO1	PCO2	PCO3
L	7	7	8	9
H	1	1	2	3
Index	–	+	+	+



REF	PCORS	PCO1S	PCO2S	PCO3S
L	5	5	6	7
H	1	1	2	3
Index	–	+	+	+



REF	PCO	ATR1	ATR2
L	7.0	5.7	6.2
H	2.5	1	1.5

Titanium bases with Angulated Screw Channel

- Reliable and predictable prosthetic workflows
- Enhanced retention and stability of final restorations
- Improved aesthetic outcomes with angled screw access
- High-quality titanium construction for biocompatibility and durability

Elevate your implant restorations with the precision and versatility of our titanium bases!

L – Height from implant level, mm

H – Gingiva height, mm

ROOTT R Multi-Unit Abutments – Versatile Solutions for Complex Implant Restorations

Platform-specific connectors designed to simplify and enhance the creation of multiple-unit prostheses (single crowns, bridges, overdentures) on dental implants. ROOTT R Multi-Unit Abutments offer exceptional versatility and strength for predictable and long-lasting results.

- **Unmatched Restorative Versatility**

These abutments are engineered to accommodate a wide range of prosthetic options, including screw-retained, cement-retained, and attachment-retained restorations, providing flexibility for diverse clinical needs.

- **Significant Angulation Correction**

With the ability to compensate for implant angulation discrepancies up to 75°, ROOTT R Multi-Unit Abutments ensure optimal prosthetic alignment, even in challenging implant placements, leading to improved aesthetics and function.


- **Secure and Durable Fixation**

Featuring a strong 1.8 mm screw, these abutments guarantee secure retention of the prosthetic superstructure, minimizing the risk of loosening and ensuring long-term stability and patient satisfaction.



SFM6 SLFM6






REF	M1A15	M2A15	M3A15	M4A15
L	3.3	3.8	4.8	5.8
H	1	2	3	4
Angle, °	15	15	15	15




REF	M1	M2	M3	M4
L	2.9	3.4	4.4	5.4
H	1	2	3	4
Angle, °	0	0	0	0

For M1-M4 abutments
placement ITMx implant
driver is required



REF	M1A30	M2A30	M3A30	M4A30
L	3.8	4.3	5.5	6.6
H	1	2	3	4
Angle, °	30	30	30	30



REF	M1A45	M2A45	M3A45	M4A45
L	4.7	5.4	6.9	8.3
H	1	2	3	4
Angle, °	45	45	45	45

- Flexibility in planning and executing complex restorations
- Effective correction of implant angulation for optimal outcome
- Reliable and durable connections for long-term success
- A streamlined workflow for multiple-unit restorations

Experience the strength, versatility, and efficiency of ROOTT R Multi-Unit Abutments for predictable and successful implant-supported restorations!

L – Height from implant level, mm
H – Gingiva height, mm



ROOTT R Attachment-Retained Abutments: Empowering Stability and Comfort in Overdentures

A solution for secure, comfortable and long-lasting attachment-retained restorations. ROOTT R Abutments are meticulously engineered to provide stability and ease of use for both clinicians and patients.

- **Unwavering Secure Retention**

Optimal grip provides confidence and security for denture wearers.

- **Simplified Maintenance & Adjustments**

Self-aligning design for easy insertion, removal, and maintenance.


- **Enhanced Patient Comfort & Natural Feel**

Resilient nylon inserts absorb forces and minimize wear.

- **Superior Long-Term Durability**

TiN coating enhances wear resistance for lasting reliability.

**Choose ROOTT R Attachment-Retained Abutments
for predictable outcomes and happy, confident patients!**



L – Height from implant level, mm
H – Gingiva height, mm

● Ultra-Compact Design

The smallest attachment system, with height options to choose from and small diameter, ideal for limited inter-arch space.

● Flexible Retention

Offers different inserts with three retention levels for personalized stability and easy chairside/lab adjustments.

● Passive Fit Innovation

Pivoting mechanism and rotational core allows passive insertion with up to 40° implant divergence.

● Premium Engineering

Durable titanium housing with TiN coating and stainless-steel core for biocompatibility and longevity.

Elevate your restorative practice and patient satisfaction with ROOTT R Attachment-Retained Abutments!



Telescopic Abutment: The Future of Cementless Implant Restorations

Experience a revolutionary approach to implant-supported restorations with Telescopic Abutments. Embrace a simplified, cementless workflow that prioritizes precision and stability.

- **Unmatched Frictional Retention**


Utilizing a known cone-in-cone connection, abutments achieve secure and reliable retention of implant-supported copings without the need for screws or cement, eliminating potential complications associated with these traditional methods.

- **Significantly Streamlined Workflow**


Conometric technology minimizes the need for complex modifications and procedures, simplifying the restorative process, ensuring ease of use, and promoting predictable, efficient outcomes.

- **Functional Stability with Simplicity**

Telescopic Abutments are designed to support the final restoration while maintaining a simple and user-friendly design, offering a practical solution for implant dentistry.



	A05K	A1K	A2K	A3K	A4K
REF					
L	6	6.5	7.5	8.5	9.5
H	0.5	1	2	3	4
Angle, °	0	0	0	0	0



	A1A15K	A2A15K	A3A15K
REF			
L	6.9	7.9	8.9
H	1.5	2	3
Angle, °	15	15	15

Abutments for telescopic fixation



	TCK0	TCK1	TCK2	TCK3
REF				
Full height, mm	6.3	6.3	6.3	6.3
H	0	1	2	3

● Healthier Peri-Implant Tissues

Cement-free design helps eliminate the need for cement, avoiding potential issues associated with residual cement.

● Streamlined Workflow

Offers a simpler and more efficient prosthetic process for clinicians.

● Secure & Stable Connections

Achieves reliable retention through innovative friction-fit or screw-retained designs without any cementation.

● Digital Dentistry Compatible

Integrates seamlessly with digital workflows and modern materials.

● Versatile Applications

Supports a range of prosthetic treatment options from single-tooth and multi-unit restorations.

L – Height from implant level, mm

H – Gingiva height, mm



Supplied with two screws:
for laboratory use (pink)
for clinical use (green)

Maximum torque – 15 Ncm



Introducing ROOTT R Premilled Blanks: The Foundation for Exquisite Custom Abutments

Elevate your restorative practice with ROOTT R Premilled Blanks, the cornerstone for creating highly precise and patient-specific custom abutments.

- **Uncompromising Fit**

High-grade titanium alloy blanks with pre-machined, ultra-precise implant connections.

- **Esthetic & Comfortable**

Ideal for creating custom abutments that perfectly match natural gum lines.

- **Simplified Care**

Enables easier cleaning and adjustments for long-term patient satisfaction.

- **Healthier Outcomes**

Minimizes micro-movements and wear, improving peri-implant health.

Unlock the potential for truly personalized and exceptional implant restorations with ROOTT R Premilled Blanks

ROOTT R Surgical Cassette: Organized Efficiency

ROOTT R Surgical Cassette is a specialized container meticulously crafted to securely hold various dental instruments within a dental implant instrument kit for ROOTT R implant placement. Featuring compartments and slots, this cassette organizes instruments, ensuring quick access during procedures. ROOTT R Surgical Cassette maintains order, allowing clinicians to focus on patient care.

Elevate your implant practice with ROOTT R Surgical Cassette — precision, convenience, and seamless workflow!



REF TRR

Instruments not included



ROOTT R Implant Drills: Engineered for Precision, Built for Durability

Experience the ultimate in drilling efficiency and control with ROOTT R Implant Drills, versatile instruments designed for both precise bone removal and effective osseodensification.

- **Dual-Mode Efficiency**

Clockwise cutting & counterclockwise osseodensification for optimal bone management.

- **Implant-Specific Design**

Customized shapes ensure perfect torque transfer in one step.

- **Superior Strength**

Medical stainless steel with, wear, and corrosion resistance.

- **Enhanced Surgical Guidance & Safety**

Cylindrical upper portion for precise guided surgery and collision prevention. This feature also facilitates precise bone cutting while effectively preventing collisions with healing abutments.

Achieve predictable and successful implant procedures with the precision, resilience, and efficiency of ROOTT R Implant Drills



D2006
D2008
D2010
D2012
D2014
D2016
D2018
D2020



D3006
D3008
D3010
D3012
D3014
D3016
D3018
D3020



D3506
D3508
D3510
D3512
D3514
D3516
D3518
D3520




D3806
D3808
D3810
D3812
D3814
D3816
D3818
D3820



D4206
D4208
D4210
D4212
D4214
D4216



D4806
D4808
D4810
D4812
D4814
D4816



D5506
D5508
D5510
D5512
D5514




D6506
D6508
D6510
D6512



D7506
D7508
D7510
D7512



D1508



ROOTT R Implant Drivers: Precision Guidance for Optimal Implant Placement

Essential tools for accurate and controlled dental implant insertion, compatible with various driving methods for seamless integration into your surgical workflow.

- **Universal Compatibility**

Works like a part of guided system or can be used in manual insertion.

- **Secure "Sticky" Grip**

Internal connection designed for reliable implant holding and reduced slippage.

- **Integrated Depth Guide**

Clear markings for accurate and predictable implant placement.

- **Easy Orientation**

Hex side positioning marks for simple and correct implant alignment.

Achieve accurate and efficient implant placement with the precision and reliability of ROOTT R Implant Drivers, leading to greater confidence and successful outcomes



REF
Working part, mm

SR
19

ROOTT R Abutment Extractors: Gentle Power for Abutment Removal

Specialized dental instruments engineered for the safe and efficient removal of implant abutments, even those that are cold-welded or conically engaged.

- **Safe and Controlled Extraction**

ROOTT R Abutment Extractors are designed to securely lift abutments with controlled force, minimizing stress on the implant fixture and surrounding bone structure during the removal process.

- **Preserves Implant Integrity & Patient Comfort**

Clinicians can confidently remove abutments without compromising the integrity of the implant, ensuring patient comfort.

Ensure a smooth and safe workflow for abutment removal with the precision and efficiency of ROOTT R Abutment Extractors



ROOTT **M**

One-piece tissue-level implants designed for Minimal invasive Surgical Approach & Versatile Restorations

- **Multi-unit Connection**

Single-unit design screw-retained adapts to titanium bases.
Up to 60° divergence/convergence for complex cases.

- **Versatile Thread Design**

Designed for placement in atrophic thin ridges and sockets,
with an option for immediate loading where clinically appropriate

- **Anodised Cervical collar**

Respects the Biologic width promotes stability of hard and soft tissues.

- **Compatibility & Screw-Retained**

Designed for reliable, secure, fully screw-retained restorations
and in Synergy with ROOTT R multi unit abutments and ROOTT P
implants for comprehensive solutions.

**Experience the efficiency and versatility of ROOTT M Implants
for predictable and successful implant-supported restorations**

	4 mm	6 mm	8 mm	10 mm	12 mm	14 mm	16 mm	18 mm	20 mm
ø 2.5			 C2508m	 C2510m	 C2512m	 C2514m	 C2516m		
ø 3.0			 C3008m	 C3010m	 C3012m	 C3014m	 C3016m	 C3018m	 C3020m
ø 3.5		 C3506m	 C3508m	 C3510m	 C3512m	 C3514m	 C3516m	 C3518m	 C3520m
ø 4.0	 C4004m	 C4006m	 C4008m	 C4010m	 C4012m	 C4014m	 C4016m		
ø 5.0	 C5004m	 C5006m	 C5008m	 C5010m	 C5012m	 C5014m			
ø 6.0	 C6004m	 C6006m	 C6008m	 C6010m	 C6012m				



ROOTT **P**

ROOTT P Pterygoid Implants: Your Solution for the Severe Atrophic Posterior Maxilla

Empower your practice with ROOTT P, the advanced pterygoid implant system designed for minimally invasive and predictable restoration of the challenging atrophic posterior maxilla.

- **Eliminate Complex Augmentation**

ROOTT P offers a minimally invasive alternative to sinus lifts, bone grafting, and zygomatic implants, specifically engineered to anchor in the dense pterygoid bone for predictable results in severe bone loss.

- **Immediate Functionality**

Providing flexibility for both immediate and delayed loading, ROOTT P allows for faster restoration of function and aesthetics, potentially offering patients fixed teeth in a single visit and reducing overall treatment time.

- **Exceptional Stability in Compromised Bone**

Optimized for cortical engagement, ROOTT P achieves high primary stability even in atrophic bone, ensuring secure anchorage and long-term success without the need for cantilever bridges.

- **Versatile Prosthetic Options & Simplified Workflow**

Compatible with a wide range of prosthetic options and featuring a streamlined, Digital workflow and minimal invasive surgery with ultra-sharp drills, ROOTT P simplifies protocols and reduces chair time.

ROOTT P: Deliver fast, reliable, and minimally invasive solutions for complex maxillary cases, restoring patient smiles with confidence and efficiency



ROOTT Multi-Unit Healing Abutments

- **Compatible with all ROOTT line**

Available for all multi-unit abutments platform of different angulations of ROOTT R (0°, 15°, 30°, 45°) and ROOTT M, P lines.

- **Improved Esthetics**

By supporting the natural tissue contours of the patient, GFM help achieve better esthetic outcomes, ensuring a more natural and harmonious appearance.

- **OA-OT and Soft Tissue Seal Protection**


The use of GFM protects peri-implant soft tissues from damage caused by repeated screwing and unscrewing during prosthetic procedures, as all manipulations occur above the MUA platform at the level of the free gingival margin, providing One Abutment – One Time Concept.

- **Ease of Prosthesis Management**

GFM simplify the seating and removal of the final restoration, making maintenance and adjustments easier and more predictable for clinicians.

- **Versatility**

GFM come in various collar heights enabling clinicians to customize treatment to individual patient needs, use during conventional healing phase when immediate loading is not possible.



L – Height from abutment level, mm

H – Gingiva height, mm

The ROOTT M/P Foundation for Secure Locator Overdentures

Introducing the ROOTT GFNM abutment – while promoting optimal soft tissue health, its primary focus is to provide a precise and reliable platform for secure overdenture anchorage on these ROOTT M/P implants.

- **Predictable Outcomes**

Engineered for precise integration, leading to predictable overdenture retention.

- **Efficient Workflow**

Direct connection simplifies the prosthetic process, saving chair time.

- **Patient Satisfaction**

Enhanced stability and comfort lead to greater patient confidence.

- **ROOTT M System Synergy**

Specifically designed for optimal performance with ROOTT R/M/P implants.

- **Quality and Reliability**

Manufactured to ROOTT's high standards for long-lasting performance.



Empower your patients with comfortable, functional, and secure removable prosthetic solutions utilizing the streamlined design of ROOTT MUA connection



TransferScan® – convenience in impression, precision in scanning

TransferScan®: The 2-in-1 Solution for Open Transfer Accuracy and Efficient Scanning applications on multi-unit.

- **Efficient Workflow**

Streamlines with Digital workflow application with intraoral / laboratory scanning or conventional Impressions techniques.

- **Versatile Compatibility**

Seamlessly integrates with digital workflows across ROOTT R/M/P lines.

- **Durable Material**


High-quality titanium ensures strength and longevity with special surface treatment for precise data capture.

- **Accurate Scanning**

Design feature minimizes distortion for precise scanning of implant positions.

Discover the TOM/TOML TransferScan® advantage for reliable implant restorations on multi-units

REF



Dragon Scan Solutions: Capture Precision, Conquer Time in Digital Impressions

Revolutionize your restorative workflow with ROOTT R DragonScan, engineered for unparalleled accuracy and speed.

- **Enhanced Reference Stability in Edentulous Cases**

The SPCOMIO Scan body, when used with Titanium pins, ensures that the reference between implants is not lost during the scanning process, which is particularly crucial in edentulous cases where maintaining positional accuracy across multiple implants can be challenging.

- **Versatile Options**

Titanium pins come in 7.5mm and 15mm heights for optimal configuration.


- **Durable Material**

High-quality titanium ensures strength and longevity.

- **Improved Accuracy**

Secure fixation improves digital impression accuracy for better-fitting prosthetics. Reduces errors, rescans, and chair time.

Upgrade to Dragon Scan and unlock a new level of speed, precision, and patient satisfaction in your digital impression workflow!



REF

SPCOMIO



Laboratory Analog / Reverse Scan for multi-unit

- **Reverse Scan Analog**

Streamlines the process from implant position to final prosthesis, enabling a fully digital workflow. Delivers 100% fit accuracy for prototypes and final prostheses, crucial for long-term success. Reduces patient visits and chair time, while supporting predictable and reliable outcomes.

- **Analog & Digital Compatibility**

Suitable for both traditional and digital impression techniques. Reduces patient visits and chair time, while supporting predictable and reliable outcomes.

- **High Precision Machining**


Ensures accurate transfer of implant position.

- **Reduced Length**

Saves on scanning material during digital workflows.

REF

ANM



REF

PCOM
Ti-base
5.5

PCOMR
Rotational Ti-base
5.5

L



L – Height from abutment level, mm

ROOTT M Titanium Bases: The Foundation for Precise and Versatile Multi-Unit Restorations

Essential for modern implant dentistry, ROOTT M titanium bases offer a stable and adaptable interface for diverse prosthetic restorations, particularly excelling in personalized multi-unit cases and providing the precise connection needed for materials like Zirconia, PMMA, and PEEK.

- **Enhanced Stability**

External anti-rotation cuts prevent prosthetic movement for long-term reliability.

- **Simplified Adjustments**

Angled screw access channel allows for easy prosthetic screw adjustments.

- **Optimized Bonding**

Blasted surface and microgrooves enhance adhesion for a strong, durable bond.

- **Secure Retention**

Stronger conical screw prevents loosening, ensuring long-term stability.

ROOTT M Titanium Bases are the cornerstone for achieving stable, compatible with ROOTT R/M/P lines, and efficient multi-unit implant restorations, empowering clinicians to deliver predictable and long-lasting results for their patients



Temporary multi-unit Ti-Base

- **Dual Workflow Compatibility**

Can be used in both conventional and digital workflows.

Conventional: Suitable for traditional denture construction techniques.

Digital: Fully compatible with CAD/CAM and 3D printing for digital prosthetic design.

- **Various Heights Options**

Offers 4 different customized heights, allowing the clinician to select the ideal height for the patient prosthetic needs.

- **Optimized for CAD/CAM Ceramic Restoration**

Designed with features that simplify digital design and milling of ceramic restorations.

- **Precise Geometry**

Ensures a secure fit for milled crowns or bridges.

- **User-Friendly Design**

Simplifies the workflow for both temporary and final prosthesis.

REF
L

AM
11



Straight & 15° Angled burn-out abutments

- **Prosthetic Flexibility:** Custom abutments/frameworks for multi and full-arch cases. User-friendly design with reliable burnout.

- **Workflow Integration**

Compatible with lost-wax casting for non precious metals.

- **Precision & Efficiency**

Streamlined workflow and cost-effective alternative to custom-milled bases. Accurate fit and consistent casting quality.

REF

ABMU
Straight
9

ABMUA
15° Angled
9

L



SFPCOM
ø 1.8

SFPCOM Prosthetic Screw – Precision Fixation for ROOTT M/P

The SFPCOM Prosthetic Screw is engineered for high-performance restorative stability. Designed for seamless integration with ROOTT M and ROOTT P abutments, it also facilitates a reliable direct connection between the framework and the implant.

L – Height from abutment level, mm

Implant drivers

for ratchet



ROOTT M/P Implant Drivers: Precision & Versatility

The ROOTT M/P range of implant drivers is engineered for seamless insertion of M and P series implants. Designed with a modular two-piece system, these instruments ensure maximum stability and clinical control during every stage of the procedure.

● Two-Piece Stability

Each driver features a sophisticated two-piece design, combining the driver body with a dedicated fixation screw to ensure the instrument remains perfectly stabilized during insertion.

● Secure Fixation

The integrated screw mechanism provides a rigid connection between the driver and the implant, eliminating wobble and enhancing tactile feedback.

● ITMS – The Universal Solution

The ITMS driver is a multi-functional instrument optimized for both guided surgery and manual insertion. Its flexible design allows it to be used with ratchet Instruments: IT or ITH and handpieces: ITHS, ITH, or ITHL.





ROOTT

One-piece Implants: Versatile and Flexible for Diverse Restorations

- **Excellent Treatment Option**

Especially effective in atrophic cases with deficient alveolar bone in height and width

- **Immediate loadings**

Simple placement & prosthetic procedure with minimal inventory

- **Avoid bone augmentation**

Bone condensation design

- **Cement free solutions**

Patented telescopic abutments, using friction-based retention, eliminating the need for cement or screws

Use ROOTT C for its versatility, enabling precise adjustments for optimal aesthetic and functional outcomes

	6 mm	8 mm	10 mm	12 mm	14 mm	16 mm	18 mm	20 mm
ø 3.0	 C3006	 C3008	 C3010	 C3012	 C3014	 C3016	 C3018	 C3020
ø 3.5	 C3506	 C3508	 C3510	 C3512	 C3514	 C3516	 C3518	 C3520
ø 4.0	 C4006	 C4008	 C4010	 C4012	 C4014	 C4016	 C4018	 C4020
ø 4.5	 C4506	 C4508	 C4510	 C4512	 C4514	 C4516	 C4518	 C4520
ø 5.0	 C5006	 C5008	 C5010	 C5012	 C5014			
ø 5.5	 C5506	 C5508	 C5510	 C5512	 C5514			
ø 6.5	 C6506	 C6508	 C6510	 C6512				



One-piece implants for use in esthetic zones

- **Optimal soft tissue management**


A shorter neck can lead to better gum tissue integration.

- **Placement in limited anatomical areas**

Ideal for places with insufficient vertical bone height or proximity to nerves or sinuses.

Find the key distinction of ROOTT CS: non-bendable short neck, specifically tailored for cases where a pristine esthetic outcome is paramount

6 mm 8 mm 10 mm





ROOTT **B**

One-piece implant engineered to address challenges presented by a residual atrophic alveolar ridge

- **Excellent protection from inflammation**

Polished surface protects from bacteria accumulation.

- **Easy placement in extraction socket**

Helps to preserve the bone volume and natural contours of the ridge.

- **Indicated for residual atrophic alveolar ridge**

Use in situations where there has been significant bone loss, and the remaining bone is limited or compromised.

- **Immediate loading**

Aggressive thread design, bi-cortical anchorage, one-piece design, leads to immediate loading protocols.

Designed to bypass the mandibular nerve, and for engagement of the cortical bone at the nasal and the pterygoid plates within maxilla

	8 mm	10 mm	12 mm	14 mm	16 mm	18 mm	20 mm	22 mm	24 mm	26 mm
ø 3.5	 B3508	 B3510	 B3512	 B3514	 B3516	 B3518	 B3520	 B3522	 B3524	 B3526
ø 4.5	 B4508	 B4510	 B4512	 B4514	 B4516	 B4518	 B4520	 B4522	 B4524	 B4526
ø 5.5	 B5508	 B5510	 B5512	 B5514	 B5516					



ROOTT **BS**

One-piece implant with RBM surface, aggressive thread design and immediate function

- **Resorbable Blast Media surface**

Leads to stronger bone-to-implant contact, which is crucial for early loading and long-term stability.

- **Aggressive thread design**

To engage a larger surface area of bone and allow for effective condensation of the surrounding bone, contributing to immediate stability.


- **Indicated for residual atrophic alveolar ridge**

Use in situations where there has been significant bone loss, and the remaining bone is limited or compromised.


Use ROOTT BS to facilitate rapid bone integration, crucial for long-term success

6 mm 8 mm 10 mm 12 mm 14 mm 16 mm 18 mm 20 mm 22 mm 24 mm 26 mm

ø 3.5



ø 4.5






Transfers for external platform: Mastering not only Multi-implant Impressions

- **Rotational plastic transfer** with a fixator for an external platform is used to take an impression with a close-tray from multiple implants.
- **Rotational titanium transfer** for external platform is used to take a highly precise impression with a close-tray from multiple implants.
- **Anti-rotational titanium transfer** for external platform is used to take a highly precise impression with a close-tray from a single implant.
- **Plastic transfer** can be used for single unit restorations in case of insufficient space.

Choose one of external platform transfers for perfect final prosthetic restoration fit

REF

TRA





Implant Analogs: Essential for Precise Model Preparation

- **Plastic Construction for Mimicking Micromobility**

This material provides the model with an elasticity that corresponds to the micromobility of the actual implant in bone.

- **Anti-Rotation Shape for Preventing Macromobility**

Maintains minimal size but preventing interference with placing when implants are close together.

REF

ANA



REF

ANE

Titanium Analog for External Platform: Precision Duplication for Lab Prosthetics

- **High Precision**


Ensures that the analog precisely matches the dimensions of the actual implant in the patient's mouth.

- **Versatility for Single & Multiple Implants**

Its consistent accuracy across different numbers of implants is critical for achieving passive fit in multi-unit cases.

- **For single use**

To benefit precision of titanium abutments and position of slots, what is important for single unit restorations, use anti-rotational titanium transfers TOEA.



Telescopic Abutments: The Future of Screw- and Cement-Free Retention

- **Retention Without Screw or Cement**

Works on the principle of frictional contact and elastic deformation of the connecting coping.

- **Efficient and Cost-Effective (Long-Term)**

No screw, no cement – reduced complications. Faster clinical procedures.

- **Easy to Remove**

Patented Lifting Technology allows for easy removal of dental bridges without compromising integrity.

- **Improved Esthetics**

Natural-looking restorations without visible screw channels.

Choose modern implant dentistry, prioritizing patient comfort, long-term biological health, and clinical efficiency





Burn-out abutments: Foundations for Conventional Porcelain Restorations

- **Simplified Restorative Process**


Angled abutment can simplify the final restoration's design.

- **Workflow Integration**

Compatible with lost-wax casting for non precious metals.

- **External Platform Compatibility**

The abutment is designed to accurately fit and engage with implant analogs that have an external platform connection.





Implant drivers

Taps



TW70
Torque Wrench



DW
Handle for implant driver



ETH
Surgical handle



Innovative TRS Surgical Cassette: Experience Unparalleled Efficiency

Optimize your ROOTT implant procedures with our expertly curated surgical drill kits, now featuring the advanced TRS Surgical Cassette. Designed to enhance workflow and ensure the integrity of your instruments, this system delivers a new level of convenience and confidence to your ROOTT implant practice.

Invest in the ROOTT Implant Surgical Kit with the TRS Surgical Cassette – the intelligent solution for efficient, safe, and predictable ROOTT implantology

REF TRS

Instruments not included

Drills



Stoppers





REF

ET

Drill extension

DPG

Depth gauge



D2824

D2829

D2834

D3524

D4124

Flat drills



S1415

Self drilling screw

Screwdrivers



REF

H, mm

SD

7

SDL

12

SDXL

41

SDLB

12

SDXLB

41

Ball hex

SDH

10

SDHL

15

SDHXL

40

For ratchet

For handpiece



Upcoming global events

Rootters Conference

September 5, 2026

Istanbul

EAO

September 24–26, 2026

Lisbon

AEEDC

January 19–21, 2027

Dubai

IDS

March 16–20, 2027


Cologne

More events




Rootters®

Make Your Surgery Guided



80+ COUNTRIES



roott.dental



ROOTT AG
Bahnhofstrasse 16
6037 Root
Switzerland

+4141 450 0101



ROOTT UAB
Kauno m. sav. Kauno m.
Jonavos g 254
Kaunas 44110 Lithuania

